

Details Manufacturing Bubbles

Version number: GHS 1.0

Date of compilation: 2019-11-15

SECTION 1: Identification

1.1 Product identifier

Trade name **Details Manufacturing Bubbles**

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Vehicle wash / shampoo

1.3 Details of the supplier of the safety data sheet

Details Manufacturing & Distributing
504 E Lincoln Way Ames, IA 50010
515.233.6555

Luke.Stagg@detailsmfg.com Josh.Stagg@detailsmfg.com

1.4 Emergency telephone number

Emergency information service USA 1.800.535.5053, INTL 1.352.323.3500
24 hour emergency number

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Section	Hazard class	Category	Hazard class and category	Hazard statement
A.3	serious eye damage/eye irritation	2A	Eye Irrit. 2A	H319
A.4S	skin sensitization	1	Skin Sens. 1	H317

For full text of abbreviations: see SECTION 16.

2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word warning

- Pictograms

GHS07



- Hazard statements

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

- Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
P272 Contaminated work clothing must not be allowed out of the workplace.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352 If on skin: Wash with plenty of water.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P321 Specific treatment (see on this label).
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.
P363 Wash contaminated clothing before reuse.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- Hazardous ingredients for labelling Orange oil, sweet

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Details Manufacturing Bubbles

Version number: GHS 1.0

Date of compilation: 2019-11-15

2.3 Other hazards

Special danger of slipping by leaking/spilling product.

Hazards not otherwise classified

Contains Orange oil, sweet. May produce an allergic reaction.
Harmful to aquatic life (GHS category 3: aquatic toxicity - acute).

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS
sodium dodecylbenzenesulfonate	CAS No 25155-30-0	3 - < 12	Acute Tox. 4 / H302 Skin Irrit. 2 / H315 Eye Irrit. 2A / H319
cocamidopropylhydroxysultaine	CAS No 68139-30-0	1 - < 3	Eye Irrit. 2A / H319
trisodium nitrilotriacetate, anhydrous	CAS No 5064-31-3	0.1 - < 1	Acute Tox. 4 / H302 Eye Irrit. 2 / H319 Carc. 2 / H351
Orange oil, sweet	CAS No 8008-57-9 8028-48-6 68647-72-3	0.1 - < 1	Skin Irrit. 2 / H315 Skin Sens. 1 / H317 Asp. Tox. 1 / H304 Flam. Liq. 3 / H226

Hazardous ingredients, Consideration of other advice

Exact percentage of ingredients is withheld as a trade secret.

For full text of abbreviations: see SECTION 16.

SECTION 4: First-aid measures

4.1 Description of first-aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Details Manufacturing Bubbles

Version number: GHS 1.0

Date of compilation: 2019-11-15

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, Alcohol resistant foam, BC-powder, Carbon dioxide (CO₂)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Nitrogen oxides (NO_x), Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Details Manufacturing Bubbles

Version number: GHS 1.0

Date of compilation: 2019-11-15

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedings.

7.2 Conditions for safe storage, including any incompatibilities

Control of the effects

Protect against external exposure, such as

Frost

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

This information is not available.

Relevant DNELs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
sodium dodecylbenzenesulfonate	25155-30-0	DNEL	52 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
sodium dodecylbenzenesulfonate	25155-30-0	DNEL	52 mg/m ³	human, inhalatory	worker (industry)	acute - systemic effects
sodium dodecylbenzenesulfonate	25155-30-0	DNEL	52 mg/m ³	human, inhalatory	worker (industry)	chronic - local effects
sodium dodecylbenzenesulfonate	25155-30-0	DNEL	52 mg/m ³	human, inhalatory	worker (industry)	acute - local effects
sodium dodecylbenzenesulfonate	25155-30-0	DNEL	57.2 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
sodium dodecylbenzenesulfonate	25155-30-0	DNEL	80 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic effects
trisodium nitrilotriacetate, anhydrous	5064-31-3	DNEL	9.6 mg/m ³	human, inhalatory	worker (industry)	acute - systemic effects
trisodium nitrilotriacetate, anhydrous	5064-31-3	DNEL	3.2 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Orange oil, sweet	8008-57-9 8028-48-6 68647-72-3	DNEL	8.89 mg/kg	human, dermal	worker (industry)	chronic - systemic effects
Orange oil, sweet	8008-57-9 8028-48-6 68647-72-3	DNEL	31.1 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Orange oil, sweet	8008-57-9 8028-48-6 68647-72-3	DNEL	185.8 µg/cm ²	human, dermal	worker (industry)	acute - local effects

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Details Manufacturing Bubbles

Version number: GHS 1.0

Date of compilation: 2019-11-15

Relevant PNECs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
sodium dodecylbenzenesulfonate	25155-30-0	PNEC	0.693 mg/l	aquatic organisms	freshwater	short-term (single instance)
sodium dodecylbenzenesulfonate	25155-30-0	PNEC	1 mg/l	aquatic organisms	marine water	short-term (single instance)
sodium dodecylbenzenesulfonate	25155-30-0	PNEC	50 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
sodium dodecylbenzenesulfonate	25155-30-0	PNEC	27.5 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
sodium dodecylbenzenesulfonate	25155-30-0	PNEC	2.75 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
sodium dodecylbenzenesulfonate	25155-30-0	PNEC	25 mg/kg	terrestrial organisms	soil	short-term (single instance)
trisodium nitrilotriacetate, anhydrous	5064-31-3	PNEC	270 mg/l	microorganisms	sewage treatment plant (STP)	short-term (single instance)
trisodium nitrilotriacetate, anhydrous	5064-31-3	PNEC	0.93 mg/l	aquatic organisms	freshwater	short-term (single instance)
trisodium nitrilotriacetate, anhydrous	5064-31-3	PNEC	0.093 mg/l	aquatic organisms	marine water	short-term (single instance)
trisodium nitrilotriacetate, anhydrous	5064-31-3	PNEC	270 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
trisodium nitrilotriacetate, anhydrous	5064-31-3	PNEC	0.8 mg/l	aquatic organisms	water	intermittent release
Orange oil, sweet	8008-57-9 8028-48-6 68647-72-3	PNEC	5.4 µg/l	aquatic organisms	freshwater	short-term (single instance)
Orange oil, sweet	8008-57-9 8028-48-6 68647-72-3	PNEC	0.54 µg/l	aquatic organisms	marine water	short-term (single instance)
Orange oil, sweet	8008-57-9 8028-48-6 68647-72-3	PNEC	2.1 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Orange oil, sweet	8008-57-9 8028-48-6 68647-72-3	PNEC	1.3 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Orange oil, sweet	8008-57-9 8028-48-6 68647-72-3	PNEC	0.13 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Orange oil, sweet	8008-57-9 8028-48-6 68647-72-3	PNEC	44.44 mg/kg	aquatic organisms	water	short-term (single instance)
Orange oil, sweet	8008-57-9 8028-48-6 68647-72-3	PNEC	0.261 mg/kg	terrestrial organisms	soil	short-term (single instance)
Orange oil, sweet	8008-57-9 8028-48-6 68647-72-3	PNEC	5.77 µg/l	aquatic organisms	water	intermittent release

8.2 Exposure controls

Appropriate engineering controls
General ventilation.

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Details Manufacturing Bubbles

Version number: GHS 1.0

Date of compilation: 2019-11-15

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	liquid (viscous)
Color	red
Odor	fruity

Other safety parameters

pH (value)	8 – 9.5 (25 °C)
Melting point/freezing point	not determined
Initial boiling point and boiling range	100 °C
Flash point	not determined closed cup
Evaporation rate	not determined
Flammability (solid, gas)	not relevant, (fluid)
Explosive limits	not determined
Vapor pressure	31.69 hPa at 25 °C
Density	1.03 g/cm ³ at 25 °C
Vapor density	this information is not available

Solubility(ies)

- Water solubility	miscible in any proportion
--------------------	----------------------------

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Details Manufacturing Bubbles

Version number: GHS 1.0

Date of compilation: 2019-11-15

Partition coefficient

- n-octanol/water (log KOW)	this information is not available
Auto-ignition temperature	not determined
Viscosity	not determined
Explosive properties	none
Oxidizing properties	none

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Oxidizers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity estimate (ATE) of components of the mixture			
Name of substance	CAS No	Exposure route	ATE
sodium dodecylbenzenesulfonate	25155-30-0	oral	650 mg/kg
trisodium nitrilotriacetate, anhydrous	5064-31-3	oral	1,740 mg/kg

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Causes serious eye irritation.

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Details Manufacturing Bubbles

Version number: GHS 1.0

Date of compilation: 2019-11-15

Respiratory or skin sensitization

May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans

Name of substance	CAS No	Classification	Number
trisodium nitrilotriacetate, anhydrous		2B	

Legend

2B Possibly carcinogenic to humans

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Harmful to aquatic life.

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
sodium dodecylbenzenesulfonate	25155-30-0	LC50	7.16 mg/l	fish	96 h
sodium dodecylbenzenesulfonate	25155-30-0	EC50	6.3 mg/l	aquatic invertebrates	48 h
cocamidopropylhydroxysultaine	68139-30-0	LC50	1.7 - 2 mg/l	algae	72 h
cocamidopropylhydroxysultaine	68139-30-0	LC50	1.7 - 2 mg/l	daphnia	48 h
cocamidopropylhydroxysultaine	68139-30-0	LC50	1.7 - 2 mg/l	fish	96 h
trisodium nitrilotriacetate, anhydrous	5064-31-3	LC50	114 mg/l	fish	96 h
trisodium nitrilotriacetate, anhydrous	5064-31-3	EC50	98 mg/l	aquatic invertebrates	96 h
trisodium nitrilotriacetate, anhydrous	5064-31-3	ErC50	>91.5 mg/l	algae	72 h
Orange oil, sweet	8008-57-9 8028-48-6 68647-72-3	LL50	5.65 mg/l	fish	96 h

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Details Manufacturing Bubbles

Version number: GHS 1.0

Date of compilation: 2019-11-15

Aquatic toxicity (acute) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Orange oil, sweet	8008-57-9 8028-48-6 68647-72-3	EL50	1.4 mg/l	aquatic invertebrates	24 h

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Other adverse effects

Endocrine disrupting potential

None of the ingredients are listed.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

- | | | |
|------|---|---|
| 14.1 | UN number | not subject to transport regulations |
| 14.2 | UN proper shipping name | not assigned |
| 14.3 | Transport hazard class(es) | not assigned |
| 14.4 | Packing group | not assigned |
| 14.5 | Environmental hazards | non-environmentally hazardous acc. to the dangerous goods regulations |
| 14.6 | Special precautions for user | There is no additional information. |
| 14.7 | Transport in bulk according to Annex II of MARPOL and the IBC Code | The cargo is not intended to be carried in bulk. |

Information for each of the UN Model Regulations

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Details Manufacturing Bubbles

Version number: GHS 1.0

Date of compilation: 2019-11-15

Transport of dangerous goods by road or rail (49 CFR US DOT)

Not subject to transport regulations.

International Maritime Dangerous Goods Code (IMDG)

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR)

Not subject to ICAO-IATA.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

National regulations (United States)

Toxic Substance Control Act (TSCA)

all ingredients are listed

Superfund Amendment and Reauthorization Act (SARA TITLE III)

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

- Specific Toxic Chemical Listings (EPCRA Section 313)

none of the ingredients are listed

Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4)

Name of substance	CAS No	Remarks	Statutory code	Final RQ pounds (Kg)
sodium dodecylbenzenesulfonate	25155-30-0		1	1000 (454)

Legend

1 "1" indicates that the statutory source is section 311(b)(2) of the Clean Water Act

Clean Air Act

none of the ingredients are listed

New Jersey Worker and Community Right to Know Act

Right to Know Hazardous Substance List			
Name acc. to inventory	CAS No	Remarks	Classifications
SODIUM DODECYLBENZENE SULFONATE (BENZENESULFONIC ACID, DODECYL-, SODIUM SALT)	25155-30-0		

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

none of the ingredients are listed

VOC content

Regulated Volatile Organic Compounds (VOC-EPA): 0.4111 %

Regulated Volatile Organic Compounds (VOC-Cal ARB): 0.4119 %

Industry or sector specific available guidance(s)

NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Details Manufacturing Bubbles

Version number: GHS 1.0

Date of compilation: 2019-11-15

Category	Rating	Description
Chronic	*	chronic (long-term) health effects may result from repeated overexposure
Health	2	temporary or minor injury may occur
Flammability	1	material that must be preheated before ignition can occur
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	1	material that must be preheated before ignition can occur
Health	2	material that, under emergency conditions, can cause temporary incapacitation or residual injury
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

National inventories

Country	Inventory	Status
CA	DSL	all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
US	TSCA	all ingredients are listed

Legend

DSL Domestic Substances List (DSL)
REACH Reg. REACH registered substances
TSCA Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information, including date of preparation or last revision

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
49 CFR US DOT	49 CFR § 40 U.S. Department of Transportation
Acute Tox.	Acute toxicity
Asp. Tox.	Aspiration hazard
ATE	Acute Toxicity Estimate
Cal ARB	California Air Resources Board
Carc.	Carcinogenicity
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Details Manufacturing Bubbles

Version number: GHS 1.0

Date of compilation: 2019-11-15

Abbr.	Descriptions of used abbreviations
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EL50	Effective Loading 50 %: the EL50 corresponds to the loading rate required to produce a response in 50% of the test organisms
EPA	Environmental Protection Agency. An agency of the federal government of the United States charged with protecting human health and the environment
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LL50	Lethal Loading 50 %: the LL50 corresponds to the loading rate causing 50 % lethality
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition
OSHA	Occupational Safety and Health Administration (United States)
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
RTECS	Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitization
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Details Manufacturing Bubbles

Version number: GHS 1.0

Date of compilation: 2019-11-15

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H226	Flammable liquid and vapor.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H351	Suspected of causing cancer.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.